



0800 External micrometers



0800 501

DIN
863-1

Model

- DIN 863-1
- Reading: 0.01 mm
- Reading parts are satin chrome finished
- Locking lever
- Ratchet stop
- Carbide measuring faces
- Thermally insulated

Delivery

- Plastic case
- From measuring range 25 - 50 mm upwards includes a setting standard

✂	⚙	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		0 - 25	0.5	6.5	17	0.004	0800 501	18.90
		25 - 50	0.5	6.5	17	0.004	0800 502	22.90
		50 - 75	0.5	6.5	17	0.005	0800 503	26.30
		75 - 100	0.5	6.5	17	0.005	0800 504	31.10

0800 Set of external micrometers



Delivery

- Includes 4 external micrometers
- Incl. setting gauges 25/50/75 mm
- Wooden case

DIN
863-1

✂	⚙	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Order no.	List price EUR
		0 - 100	0.5	6.5	17	0800 513	110.00

0807 Holder for external micrometers



Model

- With heavy cast iron base
- Vertically rotating and lockable

Delivery

- Cardboard box

✂	⚙	Measuring range mm	Order no.	List price EUR
		0 - 300	0807 101	56.00



0806 External micrometers with friction clutch



DIN
863-1



0806 501

Model

- DIN 863-1
- Reading: 0.01 mm
- Reading parts are satin chrome finished
- Locking lever
- With friction clutch (ratchet)
- Fixed quick drive
- Carbide measuring faces
- Thermally insulated

Delivery

- Plastic case
- From measuring range 25 - 50 mm upwards includes a setting gauge

⌘	⌘	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		0 - 25	0.5	6.5	18	0.004	0806 501	34.10
		25 - 50	0.5	6.5	18	0.004	0806 502	37.30
		50 - 75	0.5	6.5	18	0.005	0806 503	40.60
		75 - 100	0.5	6.5	18	0.005	0806 504	43.90

2

0806 Set of external micrometers with friction clutch



DIN
863-1



0806 513

Delivery

- Includes 4 external micrometers
- Incl. setting gauges 25/50/75 mm
- Wooden case

⌘	⌘	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		0 - 100	0.5	6.5	18	0.005	0806 513	160.00



0806 External micrometers



**DIN
863-1**



Model

- DIN 863-1
- Reading 0.01 mm
- Reading parts are satin chrome finished
- Locking lever
- Ratchet stop
- Carbide measuring faces
- Thermally insulated
- Coated steel frame

Delivery

- Plastic case
- From measuring range 25 - 50 mm upwards includes a setting standard

✕	¼	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		0 - 25	0.5	6.5	17.5	0.004	0806 521	46.00
		25 - 50	0.5	6.5	17.5	0.004	0806 522	74.00
		50 - 75	0.5	6.5	17.5	0.005	0806 523	91.00
		75 - 100	0.5	6.5	17.5	0.005	0806 524	105.00
		100 - 125	0.5	6.5	17.5	0.006	0806 525	143.00
		125 - 150	0.5	6.5	17.5	0.006	0806 526	160.00
		150 - 175	0.5	6.5	17.5	0.007	0806 527	178.00
		175 - 200	0.5	6.5	17.5	0.007	0806 528	196.00

0806 Set of external micrometers



**DIN
863-1**



Delivery

- Includes 4 external micrometers
- Incl. setting gauges 25 + 75 mm or 125 + 175 mm
- Wooden case

✕	¼	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Order no.	List price EUR
		0 - 100	0.5	6.5	17.5	0806 540	275.00
		100 - 200	0.5	6.5	17.5	0806 542	605.00



0810 External micrometers



DIN
863-1



0810 504

Model

- DIN 863-1
- Reading: 0.01 mm
- Reading parts are satin chrome finished
- Locking ring
- Spheroid ductile iron frame, lacquered
- Ratchet stop
- Carbide measuring faces
- Thermally insulated

Delivery

- Wooden case

⌘	⌘	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		0 - 25	1	8	30	0.004	0810 501	276.00
		25 - 50	1	8	30	0.004	0810 502	292.00
		50 - 75	1	8	30	0.005	0810 503	307.00
		75 - 100	1	8	30	0.005	0810 504	325.00

2

0815 External micrometers with deep frame



DIN
863-1



0815 530

Model

- DIN 863-1
- Reading: 0.01 mm
- Reading parts are satin chrome finished
- Steel bracket lacquered
- Ratchet stop
- Carbide measuring faces

Delivery

- Wooden case

⌘	⌘	Measuring range mm	Frame depth mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		0 - 25	100	1	8	24	0.004	0815 510	291.00
		0 - 25	150	1	6.5	24	0.004	0815 514	307.00
		0 - 25	250	1	6.5	24	0.004	0815 518	383.00
		0 - 50	50	1	8	24	0.004	0815 530	330.00
		0 - 50	100	1	8	24	0.004	0815 534	487.00
		50 - 100	100	1	8	24	0.005	0815 540	538.00



0816 External micrometers large spindle distance 50 mm



DIN
863-1



Model

- DIN 863-1
- Direct reading 0.01 mm, without addition because of thread pitch 1 mm
- Reading parts are satin chrome finished

- Locking ring
- Ratchet stop
- Carbide measuring faces
- Thermally insulated
- With 50 mm spindle movement and a wide measuring range
- Spheroid ductile iron frame, lacquered or coated light alloy frame

Delivery

- Wooden case

✕	¼	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		0 - 50	1	8	24	0.004	0816 501	348.00
		50 - 100	1	8	24	0.005	0816 502	393.00
		100 - 150	1	8	24	0.006	0816 503	453.00
		150 - 200	1	8	24	0.007	0816 504	517.00
		200 - 250	1	8	24	0.008	0816 505	589.00
		250 - 300	1	8	24	0.009	0816 506	664.00
		300 - 350	1	10	24	0.01	0816 507	938.00
		350 - 400	1	10	24	0.011	0816 508	991.00
		400 - 450	1	10	24	0.012	0816 509	1053.00
		450 - 500	1	10	24	0.013	0816 510	1130.00
		500 - 550	1	10	24	0.015	0816 511	1219.00
		550 - 600	1	10	24	0.017	0816 512	1304.00