


RIGID RULE


- Rigid rules
- With groove on the back, suitable for combination square set (2278 series)
- Satin chrome plated





7113-300A

Code	Range	Gradu	Accuracy		
Code	Range	front	back	Accuracy	_ L
7113-300A	300mm/12"	0.5mm and 1/32"	1mm and 1/64"	±0.15mm	300mm




POCKET RULE WITH SLIDING CLIP



- With sliding clip, clip can be inserted in the pocket, also can be used as depth gage base
- Inch/metric conversion table on the back
- Made of stainless steel

Code	Range	Graduation	Accuracy
7119-150	150mm/6"	1mm, 1/64"	±0.15mm






ATTENTION: **LOW ACCURACY**

STEEL RULES (ECONOMIC TYPE)





7110-300

Individual	(1	рс	per	package)
------------	----	----	-----	----------

Individual (1 pc per package) (mm)							
Code	Range	Accuracy	L	W	Н	Remark	
7110-150	150mm/6"	±0.18mm	170	18	1.0	graduation on front and back	
7110-200	200mm/8"	±0.18mm	220	18	1.0	graduation on front and back	
7110-300	300mm/12"	±0.27mm	330	25	1.0	graduation on front and back	
7110-3001	300mm/12"	±0.27mm	325	30	1.0	graduation on front and back	
7110-500	500mm/20"	±0.27mm	530	30	1.2	graduation on front and back	
7110-600	600mm/24"	±0.45mm	630	30	1.2	graduation on front and back	
7110-1000	1000mm/40"	±0.45mm	1040	32	1.5	graduation on front and back	
7110-1200	1200mm/48"	±0.63mm	1240	35	1.8	graduation on front	
7110-1500	1500mm/60"	±0.63mm	1550	38	1.8	graduation on front	
7110-2000	2000mm/80"	±0.80mm	2065	40	2.0	graduation on front	

- Graduation: 0.5mm, 1mm, 1/64", 1/32", 1/16"
- Rigid rules
- Made of stainless steel
- Non-glare surface

Set							(mm)
Code	Range	Accuracy	L	W	Н	Remark	Quantity per package
7110-150A	150mm/6"	±0.18mm	170	18	1.0	graduation on front and back	10 pcs
7110-200A	200mm/8"	±0.18mm	220	18	1.0	graduation on front and back	10 pcs
7110-300A	300mm/12"	±0.27mm	330	25	1.0	graduation on front and back	5 pcs
7110-3001A	300mm/12"	±0.27mm	325	30	1.0	graduation on front and back	5 pcs
7110-500A	500mm/20"	±0.27mm	530	30	1.2	graduation on front and back	5 pcs
7110-600A	600mm/24"	±0.45mm	630	30	1.2	graduation on front and back	5 pcs
7110-1000A	1000mm/40"	±0.45mm	1040	32	1.5	graduation on front and back	5 pcs
7110-1200A	1200mm/48"	±0.63mm	1240	35	1.8	graduation on front	5 pcs
7110-1500A	1500mm/60"	±0.63mm	1550	38	1.8	graduation on front	5 pcs
7110-2000A	2000mm/80"	±0.80mm	2065	40	2.0	graduation on front	5 pcs